



# Genano<sup>®</sup> 350



Efficient and compact Air Decontamination Device for offices and various types of laboratories and clean-rooms. Requires very small floor space and has a wall-mounting option.

Technical information	Genano <sup>®</sup> 350
Clean air delivery rate	max. 300 m <sup>3</sup> /h
Cleaning efficiency	> 99% of 0,1 µm particles
Dimensions (W x H x D)	30 x 90 x 37 cm
Weight	19 kg
Material	Aluminium
Installation	Stand-alone, wall mounting*
Fan speed	10 step speed control
Power consumption	Max 175 W
Sound level	20...60 dB(A) 3 m
Rated voltage	220-240 Vac 50/60 Hz
Operational temperature	+5...+40 °C

\* Wall bracket available as an accessory.





Read more  
about our services  
and solutions:  
**genano.com**

# Genano-technology

– Patented nanoscale air decontamination

Patented Genano Technology® removes even nanoscale impurities. The method eliminates organic microbes, such as viruses, bacteria and mold. In addition, the method removes gaseous VOC compounds and smells.



- 1 Contaminated air is led inside the unit.
- 2 Particles are ionised and they attach to the collection tube. Microbes are destroyed in a powerful high voltage process.
- 3 Next, the air is led to active carbon collector which effectively removes ozone, VOC-gases and odours.
- 4 Outcoming ultra-pure air is completely free from particles of all sizes, microbes; bacteria and viruses, and harmful gaseous compounds.

The only changeable part is the active carbon filter.